

# HARVIA SPIRIT

HSPE60U1M

## Advantages

- Stylish and high-quality Finnish made sauna heater
- Heats up the sauna very quickly
- Integrated safety functions ensure safe use
- Compatible with Harvia Xenio control centers (sold separately)
- Recommended amount of stones 110 pounds / 50kg (4 pcs x R-991)



## Features

Main material : Steel

H x W x D : 29.5 x 15.0 x 13.1

Net weight (kg) : 28.8

Installation location : Wall

| ID        | GTIN          | Output (kW) | Sauna room size min - max m3 |
|-----------|---------------|-------------|------------------------------|
| HSPE60U1M | 6417659037105 | 6 kW        | 177.0-294.0                  |

## Related products



R-991



HSP3M



## Spare parts

| Product                                 | ID       | Pcs |
|-----------------------------------------|----------|-----|
| Heating element Virta 2000W/240V        | Y10-0021 | 3   |
| Temperature sensor (125C limiter) white | SP248    | 1   |

## Technical details

| Technical data                     | Type / attribute                                                               | HSPE60U1M |
|------------------------------------|--------------------------------------------------------------------------------|-----------|
| Technical data                     | Color                                                                          | Black     |
|                                    | Power output                                                                   | 6 kW      |
|                                    | Stone sizes                                                                    | Ø5–10 cm  |
|                                    | Stone amount (kg)                                                              | 110       |
|                                    |                                                                                |           |
| Dimensions                         | Product width                                                                  | 15        |
|                                    | Product height                                                                 | 29.5      |
|                                    | Product depth (mm)                                                             | 13.1      |
|                                    | Net weight (kg)                                                                | 28.8      |
|                                    | Gross weight                                                                   | 33.5      |
|                                    | Package width                                                                  | 16.5      |
|                                    | Package height                                                                 | 30.9      |
|                                    | Package depth                                                                  | 14.8      |
| Safety and installation dimensions | Safety distance front (combustible materials)                                  | 3.2       |
|                                    | Safety distance right side (combustible materials)                             | 3.2       |
|                                    | Safety distance left side (combustible materials)                              | 3.2       |
|                                    | safety distance to the side wall (combustible materials)                       | 3.2       |
|                                    | Safety distance (Ceiling)                                                      | 35.5      |
|                                    | Room min. height(depends on connections and therefore from output, star/delta) | 75        |
|                                    | Installation opening height                                                    | 75        |

**Technical images**

